
Fondamenti della Programmazione: Metodi Evoluti

Prof. Enrico Nardelli

Lezione 3: Features

Classes

An **object** (previous lectures) is a software machine allowing programs to access and modify a collection of data

- Examples objects may represent:

- A city
- A tram line
- A route through the city
- An element of the GUI such as a button

Query

Command

- Each object belongs to a certain **class**, defining the applicable operations, or **features**

- Example:

- The class of all cities
- The class of all buttons
- etc.

Definitions: class, instance, generating class

A **class** is the description of a set of possible run-time objects to which the same features are applicable

If an object O is one of the objects described by a class C :

- O is an **instance** of C
- C is the **generating class** of O

A **class** represents a category of things

An **object** represents one of these things

Objects vs. classes

Classes exist only in the **software text**:

- Defined by class text
- Describe properties of associated instances

Objects exist only during **execution**:

- Visible in program text through names **denoting** run-time objects

Example: *Paris*

Expressions and their types


At **run time**, every object has a type: its generating class.
Examples:

- *LINE* for the object denoted by *Line8*
- *INTEGER* for the object denoted by *Line8.count*

In the **program text**, every expression has a type.
Examples:

- *LINE* for *Line8*
- *INTEGER* for *Line8.count*

Two views of objects



Two viewpoints:

- 1. An object has data, stored in memory.
- 2. An object is a machine offering operations (**features**)

The connection:

- The operations (2) allow other objects to access and modify the object's data (1)

An object is a machine

An executing program is a machine

It's made of smaller machines: **objects**

During execution there may be many objects (e.g. millions)



An object is a machine

A machine, hardware or software, is characterized by the operations (“features”) users may apply



An object has an **interface**




Interface: definition


An **interface** of a "software module" is the set of mechanisms enabling its "users" to use it.

"users" are usually called "clients"

An object has an **implementation**



Information hiding



The information hiding principle

The designer of every module must specify which properties are accessible to clients (**public**) and which are internal (**secret**)

The programming language must ensure that clients can only use public properties

Client, supplier

Definitions

A **client** is a system of any kind — such as a software element, a non-software system, or a human user — that uses a software "module".

For its clients, the "module" is a **supplier**.

Features with arguments

your_object.your_feature (some_argument)

some_argument is a value that *your_feature* needs

Example: feature *show* must know what to show.

Same concept as function arguments in maths:

cos (x)

Features may have several arguments:

x.f(a, b, c, d) -- Separated by commas

In well written O-O software, most have 0 or 1 argument

Feature declaration vs. feature call

- You declare a feature when you write it into a class.

```
set_name (a_name: STRING)  
  -- Set `name` to `a_name`.  
do  
  name := a_name  
end
```

Within comments, use ` and ' to quote names of arguments and features. This is because they will be taken into account by the automatic refactoring tools.

- You call a feature when you apply it to an object. The object is called the **target** of this feature call.

```
a_person.set_name ("Peter")
```


Features: commands and queries


Feature: an operation available on a certain class of objects

Three kinds:


- **Command** - a feature that may *modify* an object
- **Query** - a feature that *accesses* an object

- Creation procedure (seen later)

A command



A query



Commands

Goal: produce a **change** on an object, or several objects

Examples, for “**Student**” objects:

- Register an exam
- Add a course
- Modify the name

Queries

Goal: obtain **properties** of objects

Should not modify the object,
or any other object



Examples, for a “**Student**” object :

- What is the name?
- What is the ID ?
- How many exams has she taken?
- Which courses is she following?

You may work with the return values of queries

The command-query separation principle

Asking a question
should not change the answer

Kinds of features: commands and queries

➤ Commands

- Modify the state of objects
- Do not have a return value
- May or may not have arguments
- Examples: register a student to a course, assign an id to a student, record the grade a student got in an exam
- ... other examples?

➤ Queries

- Should not modify the state of objects
- Do have a return value
- May or may not have arguments
- Examples: what is the age of a student? What is the id of a student? Is a student registered for a particular course?
- ... other examples?

Query or command?



class *DEMO*

feature

command

procedure_name (*a1*: *T1*; *a2*, *a3*: *T2*)

-- Comment

do

...

end

- no result
- body

query

function_name (*a1*: *T1*; *a2*, *a3*: *T2*): *T3*

-- Comment

do

Result := ...

Predefined variable denoting the result

end

- result
- body

query


attribute_name: *T3*

-- Comment

- result
- no body


end

Features: the full story



General form of feature call instructions

- Targets and arguments can be feature calls themselves.



- Feature calls are interpreted left to right

Current

- In object-oriented computation each feature call is performed on a certain object
- Inside the feature body we can access this object using the predefined entity **Current**
- What is the type of **Current** ?
- It is the type of the object *executing* the feature's body where **Current** is

Unqualified vs. qualified feature calls (1)

- All features have to be called on some **target** (always an **object**.)
- It is possible to omit writing the target in a feature call. Such a call is **unqualified**. The implicit target is the current object. A **qualified** feature call has an explicit target.
- The **current object** (**Current**) in a feature is always the instance of the surrounding class.

Qualified or unqualified?

Hands-On

Are the following feature calls qualified or unqualified? What are the targets of these calls?

- | | |
|-------------------------|-------------|
| 1) $x.y$ | qualified |
| 2) x | unqualified |
| 3) $f(x.a)$ | unqualified |
| 4) $x.y.z$ | qualified |
| 5) $x(y.f(a.b))$ | unqualified |
| 6) $f(x.a).y(b)$ | qualified |
| 7) Current . x | qualified |

Result

- Inside every function you can use the predefined local variable **Result** (you needn't and shouldn't declare it)
- The return value of a function is whatever value the **Result** variable has at the end of the function execution
- **Result** (as well as regular local variables) is initialized, at the beginning of routine's body, with the default value of its type
- Every regular local variable is declared with some type; and what is the type of **Result**?
- It's the function return type!

Compilation error?

Hands-On

```
class PERSON
```

```
feature
```

```
...
```

```
exchange_names (other: PERSON)
```

```
do
```

Error: Result can not be used in a procedure

```
Result := other.name
```

```
other.set_name (name)
```

```
set_name (Result.name)
```

```
end
```

This is the mechanism to bring object to life (to be seen later).

```
name_with_semicolon: STRING
```

```
do
```

```
create Result.make_from_string (name)
```

```
Result.append(';')
```

```
print (Result)
```


```
end
```

```
end
```

Entity: the final definition

An **entity** in program text is a “name” that *directly* denotes an object. More precisely: it is one of

➤ attribute name



Only a **variable** can be used in a creation instruction and in the left part of an assignment

The scope of names

Attributes:

- are declared anywhere inside a **feature** clause, but not inside a feature declaration
- are visible anywhere inside the class

Formal arguments:

- are declared after the feature name
- are only visible inside the feature body and its contracts

Local variables:

- are declared in a **local** clause inside the feature declaration
- are only visible inside the feature body (are **not** visible in its contracts!)

Is everything an object oriented call?

some_target.some_feature (some_arguments)

For example:

Paris.display

Line6.extend (Station_Parade_Platz)

x := a + b *???????*

Operator aliases for features

expanded class *INTEGER* feature

```
plus alias "+" (other : INTEGER): INTEGER
    -- Sum with other
external "built_in" end
```

```
minus alias "-" (other : INTEGER): INTEGER
    -- Decrement by other
external "built_in" end
```

```
times alias "*" (other : INTEGER): INTEGER
    -- Product by other
external "built_in" end
```

```
opposite alias "-" : INTEGER
    -- Unary minus
external "built_in" end
```

...
end

Features with one argument allow alias for **infix** notation

Features with zero arguments allow alias for **prefix** notation

Same string can be alias for different features if they have different number of arguments

Calls such as *i.plus(j)* can now be written *i+j*
and calls such as *i.opposite* as *-i*

Static view

- A program consists of a set of classes.


- Features are declared in classes. They define operations on objects created from classes.
 - Queries answer questions. The answer is provided in a variable called **Result**.
 - Commands execute actions. They do not provide any result, so there is no variable called **Result** that we can use.

- Another name for a class is **type**.

- Class and Type are not exactly the same, but they are close enough for now, and we will learn the difference later on.

Declaring the type of an object

- The type of any object you use in your program must be declared somewhere.
- Where can such declarations appear in a program?
 - in feature declarations
 - formal argument types
 - return type for queries
 - in the **local** clauses of routines



This is where you declare any objects that only the routine needs and knows.

Declaring the type of an object

class *DEMO*

formal argument type

feature

procedure_name (*a1: T1; a2, a3: T2*)

-- Comment

formal argument type

local

l1: T3

do

local variable type

...

end

formal argument type

function_name (*a1: T1; a2, a3: T2*): *T3*

return type

-- Comment

formal argument type

do

...

end

attribute_name: T3

return type

-- Comment

end

Dynamic view

- When the program is being executed (at “runtime”) we have a set of objects (instances) created from the classes (types).
- The creation of an object implies that a piece of memory is allocated in the computer to represent the object itself.
- Objects interact with each other by calling features on each other.

Static view vs. dynamic view

- Queries (attributes and functions) have a result type. When **executing** the query, you get an object of that type.
- Routines have **formal arguments** of certain types. During the **execution** you pass objects of the same (or compatible) type as **actual arguments** to a routine call.
- Local variables are declared in their own section, associating names with types. Invoking a local returns the current object of that type referred to by that variable.